

## DisplayPort

### LinkIT DisplayPort cable v.1.2 M-M 2 m 4K x 2K@60Hz 28 AWG black version 1.2

Product number: CDP-DP12-0020

## Product Description

DisplayPort M-M 1.2 cable. The display port cable is used to send audio and video from a source with Displayport plug to display with Displayport plug. 21.6Gbps bandwidth. Leads of pure copper. Maximum resolution: 4Kx2K @ 60Hz.

## Main Specifications

<b>Brand</b>	LinkIT
<b>Color</b>	Black
<b>Length (m)</b>	2
<b>Connector type 1</b>	DP Male 20 pin w/interlock
<b>Connector type 2</b>	DP Male 20 pin w/interlock
<b>Conductor material</b>	Copper
<b>Cable shielding</b>	Triple shielding
<b>DisplayPort version</b>	1.2
<b>Max Resolution</b>	4Kx2K@60Hz
<b>Bandwidth</b>	21.6Gbps

## Extended Specifications



<b>Active</b>	X
<b>AWG wire size</b>	28
<b>Transmission speed</b>	21.6Gbps
<b>Jacket material</b>	PVC
<b>Anti-kink sleeve</b>	Assembled
<b>Inner Cast</b>	PE
<b>Halogenfree</b>	X
<b>EAN</b>	7072662002725
<b>Certifications</b>	REACH, RoHS



## Single packaging

GTIN f-pak	
Unit	PCE
Quantity	1
Height (cm)	12
Width (cm)	12
Depth (cm)	2,5
Weight (kg)	0,1375
Gross Weight (kg)	0,15

## Dimensional Sketches

RevNo.	Revision note	Date	Signature	Checked																																																				
																																																								
<table border="1" style="margin: auto;"> <thead> <tr> <th>P/N</th> <th>L/(mm)</th> <th>T/(mm)</th> </tr> </thead> <tbody> <tr><td>47652 CDP-DP12-0005</td><td>500</td><td>20</td></tr> <tr><td>47651 CDP-DP12-0010</td><td>1000</td><td>30</td></tr> <tr><td>47654 CDP-DP12-0015</td><td>1500</td><td>40</td></tr> <tr><td>47653 CDP-DP12-0020</td><td>2000</td><td>40</td></tr> <tr><td>47655 CDP-DP12-0030</td><td>3000</td><td>50</td></tr> <tr><td>47656 CDP-DP12-0050</td><td>5000</td><td>70</td></tr> </tbody> </table>					P/N	L/(mm)	T/(mm)	47652 CDP-DP12-0005	500	20	47651 CDP-DP12-0010	1000	30	47654 CDP-DP12-0015	1500	40	47653 CDP-DP12-0020	2000	40	47655 CDP-DP12-0030	3000	50	47656 CDP-DP12-0050	5000	70																															
P/N	L/(mm)	T/(mm)																																																						
47652 CDP-DP12-0005	500	20																																																						
47651 CDP-DP12-0010	1000	30																																																						
47654 CDP-DP12-0015	1500	40																																																						
47653 CDP-DP12-0020	2000	40																																																						
47655 CDP-DP12-0030	3000	50																																																						
47656 CDP-DP12-0050	5000	70																																																						
<p>NOTES:</p> <ol style="list-style-type: none"> <li>1. OPEN/SHORT/INTERMITTENCE: 100%</li> <li>2. INSULATION RESISTANCE: 300V 5MΩ</li> <li>3. CONDUCTIVE RESISTANCE: 3Ω Max</li> <li>4. HD-TV TEST: 4K*2K@60Hz</li> <li>5. RoHS &amp; REACH COMPLIANT</li> </ol>																																																								
<p><b>PIN OUT</b></p> <table style="margin: auto;"> <tr> <td style="text-align: center;">P1</td> <td style="text-align: center;">P2</td> <td style="text-align: center;">P1</td> <td style="text-align: center;">P2</td> </tr> <tr> <td style="text-align: center;">1</td><td style="text-align: center;">12</td><td style="text-align: center;">13</td><td style="text-align: center;">13</td> </tr> <tr> <td style="text-align: center;">3</td><td style="text-align: center;">10</td><td style="text-align: center;">14</td><td style="text-align: center;">14</td> </tr> <tr> <td style="text-align: center;">2</td><td style="text-align: center;">11</td><td style="text-align: center;">15</td><td style="text-align: center;">15</td> </tr> <tr> <td style="text-align: center;">4</td><td style="text-align: center;">9</td><td style="text-align: center;">17</td><td style="text-align: center;">17</td> </tr> <tr> <td style="text-align: center;">6</td><td style="text-align: center;">7</td><td style="text-align: center;">16</td><td style="text-align: center;">16</td> </tr> <tr> <td style="text-align: center;">5</td><td style="text-align: center;">8</td><td style="text-align: center;">18</td><td style="text-align: center;">18</td> </tr> <tr> <td style="text-align: center;">7</td><td style="text-align: center;">6</td><td style="text-align: center;">19</td><td style="text-align: center;">19</td> </tr> <tr> <td style="text-align: center;">9</td><td style="text-align: center;">4</td><td style="text-align: center;">SHELL</td><td style="text-align: center;">SHELL</td> </tr> <tr> <td style="text-align: center;">8</td><td style="text-align: center;">5</td><td style="text-align: center;">DRAIN</td><td style="text-align: center;">DRAIN</td> </tr> <tr> <td style="text-align: center;">10</td><td style="text-align: center;">3</td><td style="text-align: center;">SHELL</td><td style="text-align: center;">SHELL</td> </tr> <tr> <td style="text-align: center;">12</td><td style="text-align: center;">1</td><td style="text-align: center;">SHELL</td><td style="text-align: center;">SHELL</td> </tr> <tr> <td style="text-align: center;">11</td><td style="text-align: center;">2</td><td style="text-align: center;">SHELL</td><td style="text-align: center;">SHELL</td> </tr> </table>					P1	P2	P1	P2	1	12	13	13	3	10	14	14	2	11	15	15	4	9	17	17	6	7	16	16	5	8	18	18	7	6	19	19	9	4	SHELL	SHELL	8	5	DRAIN	DRAIN	10	3	SHELL	SHELL	12	1	SHELL	SHELL	11	2	SHELL	SHELL
P1	P2	P1	P2																																																					
1	12	13	13																																																					
3	10	14	14																																																					
2	11	15	15																																																					
4	9	17	17																																																					
6	7	16	16																																																					
5	8	18	18																																																					
7	6	19	19																																																					
9	4	SHELL	SHELL																																																					
8	5	DRAIN	DRAIN																																																					
10	3	SHELL	SHELL																																																					
12	1	SHELL	SHELL																																																					
11	2	SHELL	SHELL																																																					
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>NO.</th> <th>MATERIAL</th> <th>DESCRIPTION</th> <th>QTY.</th> <th>UNIT</th> </tr> </thead> <tbody> <tr> <td>⑥</td> <td>DUST CAP</td> <td>DP MALE DUST CAP</td> <td>2</td> <td>PCS</td> </tr> <tr> <td>⑤</td> <td>MOLDED</td> <td>45P BLACK PVC</td> <td></td> <td>G</td> </tr> <tr> <td>④</td> <td>MOLDED</td> <td>LDPE</td> <td></td> <td>G</td> </tr> <tr> <td>③</td> <td>PLASTIC HOOD</td> <td>DP MALE BLACK PLASTIC HOOD</td> <td>2</td> <td>SET</td> </tr> <tr> <td>②</td> <td>CONNECTOR</td> <td>DP 20PIN MALE, GOLD PLATED PIN, BLACK INSULATION, GOLD PLATED SHELL</td> <td>2</td> <td>PCS</td> </tr> <tr> <td>①</td> <td>CABLE</td> <td>(1/0.32BC*1P*1/0.25HC*FAM*5*1/0.32BC*4C*AL+D(1/0.254BC)+B(96/0.12ALM), BLACK PVC JACKET, OD: 7.3 ± 0.2MM, MARKING: DisplayPort Cable E***** 5L ARM STYLE 20276 80°C 30V VW-1</td> <td>L</td> <td>MM</td> </tr> </tbody> </table>					NO.	MATERIAL	DESCRIPTION	QTY.	UNIT	⑥	DUST CAP	DP MALE DUST CAP	2	PCS	⑤	MOLDED	45P BLACK PVC		G	④	MOLDED	LDPE		G	③	PLASTIC HOOD	DP MALE BLACK PLASTIC HOOD	2	SET	②	CONNECTOR	DP 20PIN MALE, GOLD PLATED PIN, BLACK INSULATION, GOLD PLATED SHELL	2	PCS	①	CABLE	(1/0.32BC*1P*1/0.25HC*FAM*5*1/0.32BC*4C*AL+D(1/0.254BC)+B(96/0.12ALM), BLACK PVC JACKET, OD: 7.3 ± 0.2MM, MARKING: DisplayPort Cable E***** 5L ARM STYLE 20276 80°C 30V VW-1	L	MM																	
NO.	MATERIAL	DESCRIPTION	QTY.	UNIT																																																				
⑥	DUST CAP	DP MALE DUST CAP	2	PCS																																																				
⑤	MOLDED	45P BLACK PVC		G																																																				
④	MOLDED	LDPE		G																																																				
③	PLASTIC HOOD	DP MALE BLACK PLASTIC HOOD	2	SET																																																				
②	CONNECTOR	DP 20PIN MALE, GOLD PLATED PIN, BLACK INSULATION, GOLD PLATED SHELL	2	PCS																																																				
①	CABLE	(1/0.32BC*1P*1/0.25HC*FAM*5*1/0.32BC*4C*AL+D(1/0.254BC)+B(96/0.12ALM), BLACK PVC JACKET, OD: 7.3 ± 0.2MM, MARKING: DisplayPort Cable E***** 5L ARM STYLE 20276 80°C 30V VW-1	L	MM																																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Itemref</th> <th>Quantity</th> <th>Title/Name, designation, material, dimension etc</th> <th>Article NO./Reference</th> </tr> </thead> <tbody> <tr> <td>FLY</td> <td></td> <td>Designed by HELEN</td> <td>Article NO./Reference</td> </tr> <tr> <td></td> <td></td> <td>Checked by HELEN</td> <td>Article NO./Reference</td> </tr> <tr> <td></td> <td></td> <td>Approved by - date 2023.10.18</td> <td>Article NO./Reference</td> </tr> <tr> <td></td> <td></td> <td>File name</td> <td>Article NO./Reference</td> </tr> <tr> <td></td> <td></td> <td>Date 2023.10.18</td> <td>Article NO./Reference</td> </tr> <tr> <td></td> <td></td> <td>Scale FREE</td> <td>Article NO./Reference</td> </tr> </tbody> </table>					Itemref	Quantity	Title/Name, designation, material, dimension etc	Article NO./Reference	FLY		Designed by HELEN	Article NO./Reference			Checked by HELEN	Article NO./Reference			Approved by - date 2023.10.18	Article NO./Reference			File name	Article NO./Reference			Date 2023.10.18	Article NO./Reference			Scale FREE	Article NO./Reference																								
Itemref	Quantity	Title/Name, designation, material, dimension etc	Article NO./Reference																																																					
FLY		Designed by HELEN	Article NO./Reference																																																					
		Checked by HELEN	Article NO./Reference																																																					
		Approved by - date 2023.10.18	Article NO./Reference																																																					
		File name	Article NO./Reference																																																					
		Date 2023.10.18	Article NO./Reference																																																					
		Scale FREE	Article NO./Reference																																																					
																																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>UNIT:MM</th> <th>Angle</th> <th>DP1,2 M-M BLACK PVC</th> <th>Edition</th> <th>Sheet</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td>1</td> <td>1/1</td> </tr> </tbody> </table>					UNIT:MM	Angle	DP1,2 M-M BLACK PVC	Edition	Sheet				1	1/1																																										
UNIT:MM	Angle	DP1,2 M-M BLACK PVC	Edition	Sheet																																																				
			1	1/1																																																				



