



## Power Cable

### LinkIT Power Cable CEE 7/7 to C15 Black LSZH 2 m

LSZH 3 x 1,0 mm<sup>2</sup>

Product number: NYESCC15-2M-HF

El-number: 6955988

## Product Description

Halogenfree power cable with CEE 7/7 to C15 contacts in black color. From wall (Schuko) to PC (C15). Halogenfri cable. straight contact at both sides. Corresponds to Cisco CAB-3KX-AC-EU= 5 meter lengde og HP 8120-5336. C15 plugg, 10A, maks 120 grader. Certifications: RoHs, CE, VDE.

## Main Specifications

<b>Brand</b>	LinkIT
<b>Color</b>	Black
<b>Length (m)</b>	2
<b>Connector type 1</b>	CEE 7/7
<b>Connector type 2</b>	C15 (F)
<b>Conductor material</b>	3 Wire
<b>Number of conductors</b>	3

## Extended Specifications

<b>NVP value</b>	69%
<b>Jacket material</b>	LSZH
<b>Angle contact 1</b>	Straight
<b>Angle Contact 2</b>	Straight
<b>Voltage</b>	AC 110-250V
<b>Amperage</b>	10A
<b>Conductor colour code</b>	Brown, Blue, Green, Yellow
<b>Gauge</b>	3X1.0MM2



<b>Operating Temperature</b>	-20 - 70 °C
<b>Halogenfree</b>	✓
<b>With Earthing</b>	✓
<b>EAN</b>	7072662016425
<b>Certifications</b>	CE, REACH, VDE, RoHS

## Single packaging

<b>GTIN f-pak</b>	7072662016425
<b>Unit</b>	PCE
<b>Quantity</b>	1
<b>Height (cm)</b>	20
<b>Width (cm)</b>	20
<b>Depth (cm)</b>	4
<b>Weight (kg)</b>	0,16
<b>Gross Weight (kg)</b>	0,18



## Dimensional Sketches

Rev/No	Revision note	Date	Signature	Checked																																												
<table border="1" style="margin: auto;"> <thead> <tr> <th>P/N</th> <th>L/ (mm)</th> <th>T/ (mm)</th> </tr> </thead> <tbody> <tr> <td>32755 NYESCC15-1M-HF</td> <td>1000</td> <td>20</td> </tr> <tr> <td>32756 NYESCC15-2M-HF</td> <td>2000</td> <td>30</td> </tr> <tr> <td>32757 NYESCC15-3M-HF</td> <td>3000</td> <td>50</td> </tr> <tr> <td>39265 NYESCC15-5M-HF</td> <td>5000</td> <td>50</td> </tr> </tbody> </table>					P/N	L/ (mm)	T/ (mm)	32755 NYESCC15-1M-HF	1000	20	32756 NYESCC15-2M-HF	2000	30	32757 NYESCC15-3M-HF	3000	50	39265 NYESCC15-5M-HF	5000	50																													
P/N	L/ (mm)	T/ (mm)																																														
32755 NYESCC15-1M-HF	1000	20																																														
32756 NYESCC15-2M-HF	2000	30																																														
32757 NYESCC15-3M-HF	3000	50																																														
39265 NYESCC15-5M-HF	5000	50																																														
<p><b>NOTES:</b></p> <ol style="list-style-type: none"> <li>1. Open/Short/Intermittence:100%</li> <li>2. Rated voltage:250V</li> <li>3. Rated current:10A</li> <li>4. Max. Working Temperature:70°C</li> <li>5. IEC/TC20 Class:IP22</li> <li>6. RoHS &amp; REACH Compliant</li> </ol>																																																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>NO.</th> <th>MATERIAL</th> <th>DESCRIPTION</th> <th>QTY.</th> <th>UNIT</th> </tr> </thead> <tbody> <tr> <td>①</td> <td>PLUG</td> <td>RQ015:C15 PVC/BLACK</td> <td>1</td> <td>PCS</td> </tr> <tr> <td>②</td> <td>PLUG</td> <td>RQ005:Straight Schuko PVC/BLACK</td> <td>1</td> <td>PCS</td> </tr> <tr> <td>③</td> <td>CABLE</td> <td>H05Z1Z1-F 3*1.0mm<sup>2</sup> SOFT LSZH/BLACK JACKET (D:6.8±0.2mm MARKING:CE H05Z1Z1-F 3G1.0mm<sup>2</sup> Tuyao Rainque Electric Co.,Ltd RAINQUE M.2021.10.3.UY1425</td> <td>L</td> <td>M</td> </tr> </tbody> </table>		NO.	MATERIAL	DESCRIPTION	QTY.	UNIT	①	PLUG	RQ015:C15 PVC/BLACK	1	PCS	②	PLUG	RQ005:Straight Schuko PVC/BLACK	1	PCS	③	CABLE	H05Z1Z1-F 3*1.0mm <sup>2</sup> SOFT LSZH/BLACK JACKET (D:6.8±0.2mm MARKING:CE H05Z1Z1-F 3G1.0mm <sup>2</sup> Tuyao Rainque Electric Co.,Ltd RAINQUE M.2021.10.3.UY1425	L	M	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Item ref</th> <th>Quantity</th> <th>Title/Name, designation, material, dimension etc</th> <th>Article NO./Reference</th> </tr> </thead> <tbody> <tr> <td>Designed by FLY</td> <td>Checked by HELEN</td> <td>Approved by - date 2023.02.23</td> <td>File name Date 2023.02.23</td> </tr> <tr> <td colspan="2">           ANGLE:  </td> <td colspan="2">           Straight Schuko TO C15 3*1.0mm<sup>2</sup> LSZH         </td> </tr> <tr> <td colspan="2">           UNIT: MM         </td> <td colspan="2" style="text-align: center;"> </td> </tr> <tr> <td colspan="2"></td> <td colspan="2" style="text-align: right;">           Edition 1         </td> </tr> <tr> <td colspan="2"></td> <td colspan="2" style="text-align: right;">           Sheet 1/1         </td> </tr> </tbody> </table>			Item ref	Quantity	Title/Name, designation, material, dimension etc	Article NO./Reference	Designed by FLY	Checked by HELEN	Approved by - date 2023.02.23	File name Date 2023.02.23	ANGLE:		Straight Schuko TO C15 3*1.0mm <sup>2</sup> LSZH		UNIT: MM						Edition 1				Sheet 1/1	
NO.	MATERIAL	DESCRIPTION	QTY.	UNIT																																												
①	PLUG	RQ015:C15 PVC/BLACK	1	PCS																																												
②	PLUG	RQ005:Straight Schuko PVC/BLACK	1	PCS																																												
③	CABLE	H05Z1Z1-F 3*1.0mm <sup>2</sup> SOFT LSZH/BLACK JACKET (D:6.8±0.2mm MARKING:CE H05Z1Z1-F 3G1.0mm <sup>2</sup> Tuyao Rainque Electric Co.,Ltd RAINQUE M.2021.10.3.UY1425	L	M																																												
Item ref	Quantity	Title/Name, designation, material, dimension etc	Article NO./Reference																																													
Designed by FLY	Checked by HELEN	Approved by - date 2023.02.23	File name Date 2023.02.23																																													
ANGLE:		Straight Schuko TO C15 3*1.0mm <sup>2</sup> LSZH																																														
UNIT: MM																																																
		Edition 1																																														
		Sheet 1/1																																														

