



Power Cable

LinkIT Power Cable C19/C20 LSZH Black 5 m

LSZH 3 x 1,5 mm²

Product number: NYEC19C20-5M-HF

EI-number: 6955958

Product Description

Halogenfree power cable C19 female to C20 male. VDE-tested, with double secured contact. straight contact at both sides. Certifications: RoHs, CE, VDE.

Main Specifications

Brand	LinkIT
Color	Black
Length (m)	5
Connector type 1	C19 (F)
Connector type 2	C20 (M)
Conductor material	3 Wire
Number of conductors	3

Extended Specifications

NVP value	69%
Jacket material	LSZH
Angle contact 1	Straight
Angle Contact 2	Straight
Voltage	AC 110-250V
Amperage	16A
Conductor colour code	Brown, Blue, Green, Yellow
Gauge	3X1.5mm ²
Operating Temperature	-20 - 70 °C



Halogenfree	✓
With Earthing	✓
EAN	7072662016371
Certifications	CE, VDE, RoHS

Single packaging

GTIN f-pak	7072662016371
Unit	PCE
Quantity	1
Height (cm)	20
Width (cm)	20
Depth (cm)	4
Weight (kg)	0,53
Gross Weight (kg)	0,57



Dimensional Sketches

Rev/No	Revision note	Date	Signature	Checked																																												
<table border="1" style="margin: auto;"> <thead> <tr> <th>P/N</th> <th>L/ (mm)</th> <th>T/ (mm)</th> </tr> </thead> <tbody> <tr><td>31038 NYEC19C20-05M-HF</td><td>500</td><td>20</td></tr> <tr><td>31037 NYEC19C20-1M-HF</td><td>1000</td><td>30</td></tr> <tr><td>31039 NYEC19C20-2M-HF</td><td>2000</td><td>50</td></tr> <tr><td>31040 NYEC19C20-3M-HF</td><td>3000</td><td>50</td></tr> <tr><td>31041 NYEC19C20-5M-HF</td><td>5000</td><td>50</td></tr> <tr><td>31042 NYEC19C20-7M-HF</td><td>7000</td><td>70</td></tr> <tr><td>31043 NYEC19C20-10M-HF</td><td>10000</td><td>100</td></tr> </tbody> </table>					P/N	L/ (mm)	T/ (mm)	31038 NYEC19C20-05M-HF	500	20	31037 NYEC19C20-1M-HF	1000	30	31039 NYEC19C20-2M-HF	2000	50	31040 NYEC19C20-3M-HF	3000	50	31041 NYEC19C20-5M-HF	5000	50	31042 NYEC19C20-7M-HF	7000	70	31043 NYEC19C20-10M-HF	10000	100																				
P/N	L/ (mm)	T/ (mm)																																														
31038 NYEC19C20-05M-HF	500	20																																														
31037 NYEC19C20-1M-HF	1000	30																																														
31039 NYEC19C20-2M-HF	2000	50																																														
31040 NYEC19C20-3M-HF	3000	50																																														
31041 NYEC19C20-5M-HF	5000	50																																														
31042 NYEC19C20-7M-HF	7000	70																																														
31043 NYEC19C20-10M-HF	10000	100																																														
<p>NOTES:</p> <ol style="list-style-type: none"> 1. Open/Short/Intermittence:100% 2. Rated voltage:250V 3. Rated current:16A 4. Max. Working Temperature:70°C 5. IEC/TC20 Class:IP22 6. RoHS & REACH Compliant 																																																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>NO.</th> <th>MATERIAL</th> <th>DESCRIPTION</th> <th>QTY.</th> <th>UNIT</th> </tr> </thead> <tbody> <tr> <td>②</td> <td>PLUG</td> <td>RQ017:C20 PVC/BLACK</td> <td>1</td> <td>PCS</td> </tr> <tr> <td>②</td> <td>PLUG</td> <td>RQ016:C19 PVC/BLACK</td> <td>1</td> <td>PCS</td> </tr> <tr> <td>①</td> <td>CABLE</td> <td>H05Z1Z1-F 3*1.5mm² SOFT LSZH/BLACK JACKET OD:7.8±0.2mm MARKING: CE H05Z1Z1-F 3G1.5mm² Yuyao Rainque Electric Co., Ltd RAINQUE M.2021.10.3.UY1425</td> <td>L</td> <td>M</td> </tr> </tbody> </table>		NO.	MATERIAL	DESCRIPTION	QTY.	UNIT	②	PLUG	RQ017:C20 PVC/BLACK	1	PCS	②	PLUG	RQ016:C19 PVC/BLACK	1	PCS	①	CABLE	H05Z1Z1-F 3*1.5mm ² SOFT LSZH/BLACK JACKET OD:7.8±0.2mm MARKING: CE H05Z1Z1-F 3G1.5mm ² Yuyao Rainque Electric Co., Ltd RAINQUE M.2021.10.3.UY1425	L	M	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Item/Ref</th> <th>Quantity</th> <th>Title/Name, designation, material, dimension etc</th> <th>Article NO./Reference</th> </tr> </thead> <tbody> <tr> <td>Designed by FLY</td> <td>Checked by HELEN</td> <td>Approved by - date 2023.02.23</td> <td>File name Date 2023.02.23</td> </tr> <tr> <td colspan="2"> ANGLE: </td> <td colspan="2"> C19 TO C20 3*1.5mm² LSZH </td> </tr> <tr> <td colspan="2"> UNIT: MM </td> <td colspan="2" style="text-align: center;"> </td> </tr> <tr> <td colspan="2"></td> <td colspan="2" style="text-align: right;"> Edition 1 </td> </tr> <tr> <td colspan="2"></td> <td colspan="2" style="text-align: right;"> Sheet 1/1 </td> </tr> </tbody> </table>			Item/Ref	Quantity	Title/Name, designation, material, dimension etc	Article NO./Reference	Designed by FLY	Checked by HELEN	Approved by - date 2023.02.23	File name Date 2023.02.23	ANGLE:		C19 TO C20 3*1.5mm ² LSZH		UNIT: MM						Edition 1				Sheet 1/1	
NO.	MATERIAL	DESCRIPTION	QTY.	UNIT																																												
②	PLUG	RQ017:C20 PVC/BLACK	1	PCS																																												
②	PLUG	RQ016:C19 PVC/BLACK	1	PCS																																												
①	CABLE	H05Z1Z1-F 3*1.5mm ² SOFT LSZH/BLACK JACKET OD:7.8±0.2mm MARKING: CE H05Z1Z1-F 3G1.5mm ² Yuyao Rainque Electric Co., Ltd RAINQUE M.2021.10.3.UY1425	L	M																																												
Item/Ref	Quantity	Title/Name, designation, material, dimension etc	Article NO./Reference																																													
Designed by FLY	Checked by HELEN	Approved by - date 2023.02.23	File name Date 2023.02.23																																													
ANGLE:		C19 TO C20 3*1.5mm ² LSZH																																														
UNIT: MM																																																
		Edition 1																																														
		Sheet 1/1																																														

