



Power Cable

LinkIT Power Cable C14/C13 Black 0.5m

LSZH 3 x 1.50 mm²

Product number: NYEC13C14-05M-HF

EI-number: 6955931

Product Description

Halogenfree power cable H05VV F3G (250V / 10A), VDE-tested, with double secured contact, plug according to EN 320-C14, connector according to EN 320-C13, straight contact at both sides.
 Certifications: RoHS, CE, VDE

Main Specifications

Brand	LinkIT
Color	Black
Length (m)	0,5
Connector type 1	C13 (F)
Connector type 2	C14 (M)
Conductor material	3 Wire
Number of conductors	3

Extended Specifications

NVP value	69%
Jacket material	LSZH
Angle contact 1	Straight
Angle Contact 2	Straight
Voltage	AC 110-250V
Amperage	10A
Conductor colour code	Brown, Blue, Green, Yellow
Gauge	3X1.0MM2



Operating Temperature	-20 - 70 °C
Halogenfree	✓
With Earthing	✓
EAN	7090033564719
Certifications	CE, REACH, VDE, RoHS

Single packaging

GTIN f-pak	7090033564719
Unit	PCE
Quantity	1
Height (cm)	18
Width (cm)	18
Depth (cm)	4
Weight (kg)	0,09
Gross Weight (kg)	0,09



Dimensional Sketches

Rev.No	Revision note	Date	Signature	Checked																																																				
<table border="1" style="margin: auto;"> <thead> <tr> <th>P/N</th> <th>L/(mm)</th> <th>T/(mm)</th> </tr> </thead> <tbody> <tr> <td>31055 NYEC13C14-05M-HF</td> <td>500</td> <td>20</td> </tr> <tr> <td>31056 NYEC13C14-1M-HF</td> <td>1000</td> <td>30</td> </tr> <tr> <td>124833 NYEC13C14-1.5M-HF</td> <td>1500</td> <td>30</td> </tr> <tr> <td>31057 NYEC13C14-2M-HF</td> <td>2000</td> <td>50</td> </tr> <tr> <td>31058 NYEC13C14-3M-HF</td> <td>3000</td> <td>50</td> </tr> <tr> <td>47446 NYEC13C14-5M-1.5HF</td> <td>5000</td> <td>50</td> </tr> <tr> <td>47447 NYEC13C14-10M-1.5HF</td> <td>10000</td> <td>100</td> </tr> </tbody> </table>					P/N	L/(mm)	T/(mm)	31055 NYEC13C14-05M-HF	500	20	31056 NYEC13C14-1M-HF	1000	30	124833 NYEC13C14-1.5M-HF	1500	30	31057 NYEC13C14-2M-HF	2000	50	31058 NYEC13C14-3M-HF	3000	50	47446 NYEC13C14-5M-1.5HF	5000	50	47447 NYEC13C14-10M-1.5HF	10000	100																												
P/N	L/(mm)	T/(mm)																																																						
31055 NYEC13C14-05M-HF	500	20																																																						
31056 NYEC13C14-1M-HF	1000	30																																																						
124833 NYEC13C14-1.5M-HF	1500	30																																																						
31057 NYEC13C14-2M-HF	2000	50																																																						
31058 NYEC13C14-3M-HF	3000	50																																																						
47446 NYEC13C14-5M-1.5HF	5000	50																																																						
47447 NYEC13C14-10M-1.5HF	10000	100																																																						
<p>NOTES:</p> <ol style="list-style-type: none"> 1. Open/Short/Intermittence:100% 2. Rated voltage:250V 3. Rated current:10A 4. Max. Working Temperature:70°C 5. IEC/TC20 Class:IP22 6. RoHS & REACH Compliant 																																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>NO.</th> <th>MATERIAL</th> <th>DESCRIPTION</th> <th>QTY.</th> <th>UNIT</th> </tr> </thead> <tbody> <tr> <td>①</td> <td>PLUG</td> <td>C14-RQ014 PVC/BLACK</td> <td>1</td> <td>PCS</td> </tr> <tr> <td>②</td> <td>PLUG</td> <td>C13-RQ013 PVC/BLACK</td> <td>1</td> <td>PCS</td> </tr> <tr> <td>③</td> <td>CABLE</td> <td>H05Z1Z1-F 3*1.5mm² SOFT LSZH/BLACK JACKET OD:7.8±0.2mm MARKING: CE H05Z1Z1-F 3G1.5mm² Yuyao Rainque Electric Co., Ltd RAINQUE M.2021.10.3.UY1425</td> <td>L</td> <td>M</td> </tr> </tbody> </table>		NO.	MATERIAL	DESCRIPTION	QTY.	UNIT	①	PLUG	C14-RQ014 PVC/BLACK	1	PCS	②	PLUG	C13-RQ013 PVC/BLACK	1	PCS	③	CABLE	H05Z1Z1-F 3*1.5mm ² SOFT LSZH/BLACK JACKET OD:7.8±0.2mm MARKING: CE H05Z1Z1-F 3G1.5mm ² Yuyao Rainque Electric Co., Ltd RAINQUE M.2021.10.3.UY1425	L	M	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Item ref</th> <th>Quantity</th> <th colspan="3">Title/Name, designation, material, dimension etc</th> <th colspan="3">Article NO./Reference</th> </tr> </thead> <tbody> <tr> <td>Designed by FLY</td> <td>Checked by HELEN</td> <td>Approved by - date 2023.02.10</td> <td>File name</td> <td>Date 2023.02.10</td> <td colspan="3">Scale FREE</td> </tr> <tr> <td>ANGLE: </td> <td colspan="2" style="text-align: center;"></td> <td colspan="2">C14 TO C13 3*1.5mm² LSZH</td> <td colspan="3">Edition 1</td> </tr> <tr> <td>UNIT: MM</td> <td colspan="2"></td> <td colspan="2"></td> <td colspan="3">Sheet 1/1</td> </tr> </tbody> </table>			Item ref	Quantity	Title/Name, designation, material, dimension etc			Article NO./Reference			Designed by FLY	Checked by HELEN	Approved by - date 2023.02.10	File name	Date 2023.02.10	Scale FREE			ANGLE:			C14 TO C13 3*1.5mm ² LSZH		Edition 1			UNIT: MM					Sheet 1/1		
NO.	MATERIAL	DESCRIPTION	QTY.	UNIT																																																				
①	PLUG	C14-RQ014 PVC/BLACK	1	PCS																																																				
②	PLUG	C13-RQ013 PVC/BLACK	1	PCS																																																				
③	CABLE	H05Z1Z1-F 3*1.5mm ² SOFT LSZH/BLACK JACKET OD:7.8±0.2mm MARKING: CE H05Z1Z1-F 3G1.5mm ² Yuyao Rainque Electric Co., Ltd RAINQUE M.2021.10.3.UY1425	L	M																																																				
Item ref	Quantity	Title/Name, designation, material, dimension etc			Article NO./Reference																																																			
Designed by FLY	Checked by HELEN	Approved by - date 2023.02.10	File name	Date 2023.02.10	Scale FREE																																																			
ANGLE:			C14 TO C13 3*1.5mm ² LSZH		Edition 1																																																			
UNIT: MM					Sheet 1/1																																																			

