


Installation Cable Copper



LinkIT Cat.7A S/FTP Inst.cable LSZH 500m
AWG 23/1 | White | 1000MHz

Product number: LT-SFTP-C7AI-WH-500
EI-number: 6919463

Product Description

Halogen-free (LSZH) and shielded Cat.7a cable with foil shield around each pair, and braided metal shield around the pairs. Can handle a minimum of 1000 MHz band width. Specifically designed for open installation, the cable is white in color, without any print. Due to a solid sheath, the cable can also be stapled to the wall with staples. Fire class Dca s1, d2, a2. The cable is certified by a third party laboratory (Force Technologies) for Performance and Fire Properties (CPR)

Main Specifications

Brand	LinkIT
Color	White
Length (m)	500
Category	Cat.7a
Conductor material	Copper
Cable shielding	S/FTP - braided shielding/foiled twisted pairs

Extended Specifications

AWG wire size	23
Transmission speed	1000Mbps
Frequency (Mhz)	1000



NVP value	69%
Jacket material	LSZH
Inner cape	LSZH
Conductor diameter	0,656mm
Outer Cape diameter	7,4mm
Halogenfree	✓
Core color 1	Blue, White
Core color 2	White, Orange
Core color 3	White, Green
Core Color 4	White, Brown
EAN	7072662008437
Certifications	CE, RoHS

Single packaging

GTIN f-pak	7072662008437
Unit	DRUM
Quantity	1
Height (cm)	39
Width (cm)	38
Depth (cm)	38
Weight (kg)	0
Gross Weight (kg)	0



Dimensional Sketches

